

CERTIFICATE OF COMPLIANCE

Certificate Number E198726
Report Reference E198726-19980911
Issue Date 2020-APRIL-01

Issued to: WAGO Kontakttechnik GmbH & Co. KG
Hansastrasse 27, 32423 Minden GERMANY

**This certificate confirms that
representative samples of**

PROGRAMMABLE CONTROLLERS FOR USE IN
HAZARDOUS LOCATIONS

See Addendum Page for models

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety:

UL 121201 - NONINCENDIVE ELECTRICAL EQUIPMENT
FOR USE IN CLASS I AND II, DIVISION 2 AND CLASS III,
DIVISIONS 1 AND 2 HAZARDOUS (CLASSIFIED)
LOCATIONS

CSA C22.2 NO 213 - NONINCENDIVE ELECTRICAL
EQUIPMENT FOR USE IN CLASS I AND II, DIVISION 2
AND CLASS III, DIVISIONS 1 AND 2 HAZARDOUS
(CLASSIFIED) LOCATIONS


Additional Information:

See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E198726
Report Reference E198726-19980911
Issue Date 2020-APRIL-01

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Open type, Programmable controller, WAGO-I/O-SYSTEM 750/753, series Y750-YXXX or series Y753-YXXX, may be followed by /YXXX-YXXX/YXXX-YXXX, series Y750-YXXX/0025-YXXX may be followed by /YXXX-YXXX for use in Class I, Division 2, Groups A, B, C, and D Hazardous locations.

Open type, Programmable controller, WAGO-I/O-SYSTEM 750 XTR, series Y750-YXXX/0040-YXXX may be followed by /YXXX-YXXX for use in Class I, Division 2, Groups A, B, C, and D Hazardous locations.

Where X denotes any alphanumeric character and where Y denotes an optional alphanumeric character. The suffix extension means a variant which doesn't have any influence for use in Class I, Div.2 Hazardous Locations.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

